FILE NOTATIONS		out of Potosh
Entered in NID File	Checked by Chief PNB	
Entered On S.R. Sheet	Copy NID to Reld Office	
Location Map Pinned	Approval Letter Jan Land	
Card Indexed	Disapproval Letter	
W R for State or Fee Land		
COMPLETION DATA:		
Date Well Completed 8/13/63	Location Inspected	지원은 이번 사는 그리아는
OW WW TA	Bond released	
GWOSPA	State of Fee Land	
	S FILED	
Electric Logs (Na.) 2		
E [5-]	GR-N Micro	
D Lat Mi-L S		of Remo 1 there is
July 1000	onic Others Radionchity &	og Rums 1 thur 4 (2)
	- good of strain	En Miller

gardo

SOUTHERN NATURAL GAS COMPANY

EXPLORATION AND PRODUCTION DIVISION

P. O. BOX 1513 - ESPERSON BUILDING HOUSTON 1, TEXAS

April 24, 1963

State of Utah
Oil and Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City 11, Utah

Attention: Mr. C. B. Feight

Re: Application for Drilling Permit - Long Canyon Unit 2, Long Canyon Field, Grand County, Utah

Dear Sir:

Southern Natural Gas Company is requesting a drilling permit for subject well. Attached are the following documents:

- 1. Two (2) copies of Form 9-33la Notice of Intention to Drill
- 2. Two (2) copies of Well Location Plat
- 3. Two (2) copies of plat of proposed drilling block for Long Canyon Unit 2

This wells location is approximately 3244 South 47° East of the present producing Long Canyon Unit 1. This yell is not located in the center of the 1/4-1/4 Section due to topographical reasons. The well location is approximately 200° from the rim of a canyon.

A copy of this letter is being sent to Mr. H. L. Coonts for his approval of this location. If there is any questions on the attached forms, please contact our Houston Office.

Yours very truly,

SOUTHERN NATURAL GAS COMPANY

J. B. Cobb

General Drilling Superintendent

JBC:RHA:jltw Attachments

cc: Mr. H. L. Coonts
Moab, Utah

U.S.Geological Survey Salt Lake City, Utah

Form 9-331 a (Feb. 1951)

50

Lapy H. L. E.

(SUBMIT IN TRIPLICATE)

u VIOP

Budget Bureau No. 42-R358.4.
Approval expires 12-31-60.

Land Office Salt Lake City

GPO 862040

U-010-529 Utah

Unit Long Canyon Unit 2

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUNDRY NOTICES A	ND REPORTS ON WELLS
NOTICE OF INTENTION TO DRILL	X SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS.	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING.	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK MARK)	NATURE OF REPORT, NOTICE, OR OTHER DATA)
	April 24 , 1963
Jorg to anyon Unit	
'ell No. 2 is located 566 ft. from	April 24 , 1905 S line and 597 ft. from $\{E\}$ line of sec. 9
E/4 of SE/4 Section 9 T26S R2 () Sec. and Sec. No.) (Twp.)	
(K Sec. and Sec. No.) (Twp.)	Range) (Meridian)
YLLong Canyon Grand (Field) (County or	County Utah Subdivision (State or Territory)
	S OF WORK 1, weights, and lengths of proposed easings; indicate mudding jobs, comes her important proposed work)
	TIVE: CANE CREEK
PROJECTED DEPTH: 7300' OBJEC	TIAN: Out Oranic
CASING PROGRAM: 40' of 16", 65# 300' of 13-3/8", 4600' of 9-5/8", 7300' of 5-1/2",	4, H-40, ST&C 54.5#, J-55, ST&C 53.5# and 40#, N-80 and J-55, LT&C 20#, N-80, LT&C
RILLING METHOD: Air Drill to 4600' Mud Drill to T.D.	(#3 Clastic)
I understand that this plan of work must receive approval in w	riting by the Geological Survey before operations may be commenced.
ompany Southern Natural Gas Company	
ddress P. O. Box 1513	
Houston 1, Texas	By X. D. aclospl
	T:A. Petroleum Engineer

WEL__OCATION PLAT of

LONG CANYON Nº 2 in


SE14, SE14, SECTION 9.

T 26S, R20E, S.L.B. & M.

GRAND COUNTY UTAH

TRANSIT-STADIA SURVEY, APRIL 22,63

FOR: SOUTHERN NATURAL GAS CO.




John E. Keogh UTAH REG'D. LAND SURVEYOR Nº 1963 ELEVATION CARRIED FROM T.B.M.

10 E. OF 14 COR., SECTIONS 15 \$16

ESTABLISHED FOR ROAD SURVEY

(584674)



PROPOSED DRILLING BLOCK LONG CANYON UNIT AREA

GRAND COUNTY, UTAH

- - - DRILLING BLOCK, WELL LOCATION APPROX 800 N & 400 W OF SE COR. SEC. 9 T 265 R 20E

WORKING INTEREST OWNERSHIP

HUMBLE OIL & REFINING COMPANY SOUTHERN NATURAL GAS COMPANY GULF OIL CORPORATION ACRES

35.0 % 35.0 %

4 ACRES

30.0 % 100.0 %



Form approved. Budget Bureau No. 42-R856.5.

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LAND OFFICE Salt Lake City
LEASE NUMBER U-010529
UNITLONG GARYON Unit 1-8-2

LESSEE'S MONTHLY REPORT OF OPERATIONS

State U	tah			Ce	ounty Gra	nd	Fie	eldLong	Canyon	
										drilling and producing
			-		April		•			
Agent's	addr									tural Gas Company
70.7				•			Sig			0 -
Phone _		· {	A 8-	9681				ent's title	Supervisc	r-Prod. Clerks
SEC. AND	TWP.	RANGE	WELL No.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	Cu. Ft. of Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
9 SE-NW	26	20	1	31	6,886	43.6	•	***		-
9	26	20	2	0	0		0	0	0	Staked well 566'
	de	ng	Car	igni		RE	C T E D ank Tables	COPY		FSL & 597' FEL of Sec. 9. Applied for drilling permi 4/24/63.
Now				5,96			r sales of oil;			M cu. ft. of gas sold

runs or sales of gasoline during the month. (Write "no" where applicable.)

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

1 px 4. X. E.

(SUBMIT IN TRIPLICATE)

Budget Bureau 42-R356.3. Approval expires 12-31-55. Salt Lake City, Utah



Unit Long Canyon #2 DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

<u> </u>	XINDDX N	oriore Al	VD DED	ODTC ON	WEIIC	
5	UNDRY N	OTICES A				F1
	ION TO DRILL			REPORT OF WATER SH		
	ION TO CHANGE PLANS		. 11	REPORT OF SHOOTING		1 1
	ION TO TEST WATER S	i		REPORT OF RE-DRILLI		1 1
	ION TO RE-DRILL OR I	DIZE	1	REPORT OF ABANDONI		1 3
•		R CASING				
· ·			ii ii			1 1
	(indicate A	BOVE BY CHECK MARK R	iatur e of Rep or'	r, notice, or other D	ATA)	1
		•	M	lay 27,		, 19 <u>.63</u>
Vell No. 2	is located	566 ft. from	S line and	l597 ft. fron	in E line of sec	9
SE/4 - SE/4	Sec. 9	T26S (Twp.) (1	R2OE Bange)	SIM (Meridian)	••••	
		Grand C (County or				
(Field		(County or	Subdivision)	(8	itate or Territory)	
The elevation o	Ground f the derick flo	skabove sea leve	l is 5,846	ft.		
			s of wor			
State names of and e	expected depths to obj	ective sands; show sizes ing points, and all otl	, weights, and len per important pro	gths of proposed easing posed work)	gs; indicate mudding	obs, cement
Drilled to						
		ng, 53.5#, 47	# lia 5#	and 40# N-80) at 4.3351.	
Cemented ce	eing with 1	150 sacks of	<i>п,о•лг,</i> cement. R	an Temperatur	re Survey and	found
	op at 1,900'±					
Tested casi	ng with 1,50	O psi. prior	to drillin	g out May 24,	1963.	
		•				
•						
		•				
I understand that	this plan of work mu	st receive approval in w	riting by the Geo	logical Survey before e	perations may be com	menced.
Company	Southern Na	tural Gas Com	pany			
Address	P. O. Box 1	513			4	
*****	Houston 1,	Texas	1	By R.H.	adolp	<u> </u>
	4	÷		· Pa	. 5	
		*****	Ti	tie		

&NO

SOUTHERN NATURAL GAS COMPANY

EXPLORATION AND PRODUCTION DIVISION

P. O. BOX 1513 - ESPERSON BUILDING
HOUSTON 1, TEXAS
May 28, 1963

U. S. Geological Survey 416 Empire Building Salt Lake City, Utah

Re: Long Canyon Unit #2
Long Canyon Field
Grand County, Utah

Gentlemen:

Attached for your information and file are three (3) copies of the report of test performed on the 9-5/8" casing set in the Long Canyon Unit #2.

If there is any question on the attached, please contact our Houston office.

Yours very truly,

SOUTHERN NATURAL GAS COMPANY

J. B. Cobb

General Drilling Superintendent

JBC/gme

Attachment

cc: Utah Oil & Gas Conservation Commission

Gulf Oil Corporation, Casper, Wyoming
Gulf Oil Corporation, Oklahoma City, Oklahoma
Gulf Oil Corporation, Salt Lake City, Utah
Gulf Oil Corporation, Denver, Colorado
Humble Oil and Refining Company, Denver, Colorado
Humble Oil and Refining Company, Durango, Colorado
Texas Eastern Transmission Corp., Midland, Texas
Mr. Keith Somerville, Midland, Texas
Mr. Wade Smith, Midland, Texas

6N0

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Form approved. LAND OFFICE LEASE NUMBER Long Canyon Unit

LESSEE'S MONTHLY REPORT OF OPERATIONS

Agent'	s add	ress 🏲	. Q.	Pox 1	513		Co	mpany Sc	uthern M	tural Gas Company
Phone		H C	ousto A 8-9	on 1, '	Texas		Sig	?ned ent's title	Supervi	or-Prod. Clerks
SEC. AND		RANGE	117	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	Cu. Fr. or Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If	REMARKS (If drilling, depth; if shut down, cause
9 BIE-IN	26	20	1	26	5,973	44	7,520	-O-	none, so state)	content of gas)
9	26	50	2	0	-0-			-0-	-0-	TD. <u>6.204</u>
B-SE	7	ny	Toan	yn i	Unit					Spudded well May 1963. Set 13-3/8" ensing 255' Set 9-5/8" casing 8 4,335' New drilling with 17.4#/Gal. Mad
					COR)	r e c	TED C	OPY		
									ëder e	i m

----- runs or sales of gasoline during the month. (Write "no" where applicable.) Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor. Form 9-329 (January 1950)

END.



SOUTHERN NATURAL GAS COMPANY

EXPLORATION AND PRODUCTION DIVISION

P. O. BOX 1513 - ESPERSON BUILDING

HOUSTON 1, TEXAS

June 11, 1963

U. S. Geological Survey 416 Empire Building Salt Lake City, Utah

Re: Long Canyon Unit #2

Long Canyon Field Grand County, Utah

Gentlemen:

Attached are three (3) copies of Notice of Intention to Perforate subject well to test the Cane Creek Formation for production.

If there is any question on the attached, please contact our Houston office.

Yours very truly,

SOUTHERN NATURAL GAS COMPANY

J. B. Cobb

General Drilling Superintendent

JBC/gme

Attachment

cc: Utah State Oil and Gas Conservation Commission
Gulf Oil Corporation, Casper, Wyoming
Gulf Oil Corporation, Oklahoma City 2, Oklahoma
Gulf Oil Corporation, Salt Lake City, Utah
Gulf Oil Corporation, Durango, Colorado
Humble Oil and Refining Co., Denver, Colorado
Humble Oil and Refining Co., Durango, Colorado
Texas Eastern Transmission Corp., Oklahoma City, Oklahoma
Mr. Keith Somerville
Mr. Wade Smith
Mr. R. W. Stoneburner
Well File
Corporate Files

x

Lapy H.E. E.

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau 42-R358.3. Approval expires 12-31-55.

Salt Lake City, Utah

Loase No. U-010529

Unit Long Canyon #2

	UNDRY NOTI	CES ANI	D REPORTS ON WELLS	
NOTICE OF INTENT	ON TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
OTICE OF INTENT	ON TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
OTICE OF INTENT	ION TO TEST WATER SHUT-OF	-	SUBSEQUENT REPORT OF ALTERING CASING	
OTICE OF INTENT	ON TO RE-DRILL OR REPAIR	WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
OTICE OF INTENT	ON TO SHOOT OR ACIDIZE	X	SUBSEQUENT REPORT OF ABANDONMENT	1 1
	ON TO PULL OR ALTER CASIN			
OTICE OF INTENT	ION TO ABANDON WELL			
	(INDICATE ABOVE BY	CHECK MARK NAT	ure of report, notice, or other data)	
			June 11	, 19 <u>.63</u>
		•	$\begin{cases} XX \\ S \end{cases}$ line and 597 ft. from $\begin{cases} E \\ XX \end{cases}$ line of	sec9
SE/4 -	SE/4 $T2$	26S R	20E SIM go) (Meridian)	
(1/2 Sec. and 8	Sec. No.) (Tw	rp.) (Ran	titah	
Long Ca	nyon	Grand County or Sub	ty Utah division) (State or Territory)	
(Field	Ground	(County of Day	,,	
a alaration o	of the XXXXXXX floor ab	ove sea level	is 5,846 ft.	
ie elevation e	I file-dotatois i.ee. an			
	. I I will be a blication a		OF WORK	ding jobs, cemen
ate names of and s	ing po	ints, and all other	eights, and lengths of proposed casings; indicate mude important proposed work)	
01 6.144 (Formation from 7 201 to 7 305	· and test
lans are t	o perforate the (or production.	Cane Creek	Formation from 1,201 to 1,500	
lans are t	o perforate the (Cane Creek	FORMACION TIOM (, ZOT 00 (,) Joy	
lans are t	o perforate the (Cane Creek	Formation from 1,201 to 1,500	
lans are t	o perforate the (Cane Creek	Formation from 1,201 00 1,500	
lans are t	o perforate the (Cane Creek	Formation from 1,201 to 1,500	
lans are t	o perforate the (Cane Creek	Formation from 1,201 00 1,500	
lans are t	o perforate the (Cane Creek	Formation from 1,201 to 1,500	
lans are t	o perforate the (Cane Creek	Formation from 1,201 to 1,500	
lans are t	o perforate the (Cane Creek	Formation from 1,201 to 1,500	
lans are t	o perforate the (Cane Creek	Formation from 1,201 to 1,500	
Plans are t	o perforate the Cor production.			·
Plans are this well f	o perforate the (or production.	ve approval in writ	ing by the Geological Survey before operations may be	e commenced.
Plans are to this well for the land the	o perforate the Cor production.	ve approval in writ	ing by the Geological Survey before operations may be	e commenced.

W.

Houston 1, Texas

Jo NO

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form approved.
Budget Bureau No. 42-R356.5.
LAND OFFICE U-010529
LEASE NUMBER CARYON Unit 1 & 2

LESSEE'S MONTHLY REPORT OF OPERATIONS

wells) t	for the	e mon	th of P. C Hous), Box	June 1513 , Texas		., 19 63 , Coi	mpany S e	outhern N	atural Gas Company
Phone			CA	8-968	1			ent's title	roduction	Bupt.
SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL No.	DAYS PRODUCED	Barrels of Oil	GRAVITY	Cu. Ft. of Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
9 S E-NW	26	20	1	17	3,789	41.5	4 ,695	0	-0-	Moved in rig and began to pull tubing 6/28/63.
9	26	mg 20	Ze a 2	o o	buit 0	0	•	0	0	Drilled to 7386' with 18#/gal. mud. Cored from 7267' to 7386' in the Cane
								JUL 15	1663	Creek Formation. Ran 5½' casing to 7385'. Perforated 7281' to 7305'. (5 times) Acidized twice. Released rig 4 PM 6/24/63 to test well. Well flo small amount of oil to pit. Will continue to test.
				14 .64			or sales of oil:	None	,	M cu. ft. of gas sold;

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Ø

210

SOUTHERN NATURAL GAS COMPANY

UTHERN NATURAL GAS COMPAN

EXPLORATION AND PRODUCTION DIVISION

P. O. BOX 1513 - ESPERSON BUILDING HOUSTON 1. TEXAS

July 5, 1963

U. S. Geological Survey 416 Empire Building Salt Lake City, Utah

Re: Long Canyon Unit #2

Long Canyon Field Grand County, Utah

Gentlemen:

Attached are three (3) copies of Notice of Intention to Deepen subject well to test the Mississippian Formation for production.

If there is any question on the attached, please contact me at the above address.

Yours very truly,

SOUTHERN NATURAL GAS COMPANY

J. B. Cobb

General Drilling Superintendent

JBC/gme

Attachment

cc: Utah State Oil and Gas Conservation Commission Gulf Oil Corporation, Casper, Wyoming
Gulf Oil Corporation, Oklahoma City 2, Oklahoma
Gulf Oil Corporation, Salt Lake City, Utah
Gulf Oil Corporation, Denver, Colorado
Humble Oil and Refining Co., Denver, Colorado
Humble Oil and Refining Co., Durango, Colorado
Texas Eastern Transmission Corp., Oklahoma City, Oklahoma
Mr. Keith Somerville
Mr. Wade Smith
Mr. R. W. Stoneburner
Well File
Corporate Files

Form 9-881 a (Feb. 1961)

Lopy H- L. E.

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R368. Approval expires 12-31-60.

Salt Lake City,

U-010529

Unde Long Canyon Unit #2

SUNDRY NOTICES AND REPORTS ON WELLS

		SUBSEQUENT REPORT	OF WATER SHUT-OFF		
IOTICE OF INTENTION TO CHANGE PLANS	x	SUBSEQUENT REPORT	OF SHOOTING OR ACID)IZING	
IOTICE OF INTENTION TO TEST WATER SHUT-			OF ALTERING CASING.		
IOTICE OF INTENTION TO RE-DRILL OR REPAI		•	OF RE-DRILLING OR R		
IOTICE OF INTENTION TO SHOOT OR ACIDIZE		-	OF ABANDONMENT		1 1
NOTICE OF INTENTION TO PULL OR ALIER CANONICE OF INTENTION TO ABANDON WELL	SING		L HISTORY		
TOTAL OF INTENTION TO ABARDON WELL					
(INDICATE ÁBOVE	BY CHECK MARK NATU	RE OF REPORT, NOTICE	L, OR OTHER DATA)		
		Tull	w 5.		·•63
			y 5		1903
	68	M	(E.)		σ.
ell No. 2 is located 5	ft. from	line and 122.1.	ft. from	ine of sec	2
	•				
SE/4 of SE/4 Sec. 9 () Bec. and Bec. No.)	Twp.) (Rang	6) (3	(eridian)		•
Long Canyon (Field)	Grand Coun	ty	Ut	ah	
(Field)	(County or Sub-	division)	(State or Te	rritory)	
e elevation of the derrick floor s	hava ees level i	. 5,846 4			
e elevation of the derrick noor a	IDONE SET TEACH IS	D 160			
	DETAILS	OF WORK	**		
ate names of and expected depths to objective ing	sands; show gizes, we	ights, and lengths of p	roposed easings; Indies	te mudding Joha,	-tremos
ing	points, and all other i	mportant proposes we	MR)		
	n				
resent Well Data: Total	Debeu 1,200		1 1 m noct		
resent Well Data: Total 5-1/2"	, 20#, N-80,	LT&C Casing	set at 7,385'	aale Warmat	don d
5-1/2". Ferfore	, 20#, N-80, ations 7,281'	LT&C Casing to 7,305 in	set at 7,385' n the Cane Cr	eel: Format	ion d
5-1/2". Ferfore	, 20#, N-80, ations 7,281' give a commer	IT&C Casing to 7,305' incial test.	set at 7,385'n the Cane Cro	eel: Format	ion d
5-1/2" Perform not	, 20#, N-80, ations 7,281' give a commer	cial test.			
5-1/2". Performot in this we:	, 20#, N-80, ations 7,281' give a commer	cial test.			
5-1/2". Performot in this we:	, 20#, N-80, ations 7,281' give a commer	cial test.			
5-1/2". Performot in this we:	, 20#, N-80, ations 7,281' give a commer	cial test.			
5-1/2". Performot in this we:	, 20#, N-80, ations 7,281' give a commer	cial test.			
5-1/2". Performot in this we:	, 20#, N-80, ations 7,281' give a commer	cial test.			
5-1/2". Performot not this we	, 20#, N-80, ations 7,281' give a commer	cial test.			
5-1/2" Performant Lans are to drill this well or production.	, 20#, N-80, ations 7,281' give a commer	8,500 '± to to	est the Missi	ssippian F	
5-1/2" Performant ans are to drill this well or production.	, 20#, N-80, ations 7,281' give a commer to	8,500 '± to to	est the Missi	ssippian F	
5-1/2" Performant lans are to drill this we or production. I understand that this plan of work must re	, 20#, N-80, ations 7,281' give a commer	8,500 '± to to	est the Missi	ssippian F	
1 understand that this plan of work must recompany Southern No.	, 20#, N-80, ations 7,281' give a commer to	8,500 '± to to	est the Missi	ssippian F	
1 understand that this plan of work must recompany Southern No.	, 20#, N-80, ations 7,281' give a commer to	8,500 '± to to	est the Missi	ssippian F	
P. O. Box 1513	, 20#, N-80, ations 7,281' give a commer to	8,500 '± to to	est the Missi	ssippian F	
1 understand that this plan of work must rempany Southern N	, 20#, N-80, ations 7,281' give a commer to	8,500 '± to to	est the Missi	ssippian F	
lans are to drill this we or production. I understand that this plan of work must recompany Southern Notices P. O. Box 1513	, 20#, N-80, ations 7,281' give a commer to	8,500 '± to to	est the Missi	ssippian F	



Form 9-831a (Feb. 1951)



(SUBMIT IN TRIPLICATE)

Budget Bureau No. 42-R358.4. Approval expires 12-31-60. Land Office Salt Lake City

U-010529

Unit Long Canyon Unit #2

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

1	DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO	CHANGE PLANS		
	TEST WATER SHUT-OFF		
NOTICE OF INTENTION TO	RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO	SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO	PULL OR ALITER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO	ABANDON WELL	-	
	(INDICATE ABOVE BY CHECK MAR	RK NATURE OF REPORT, NOTICE, OR OTHER DATA)	
		July 30	19_63
Well No. 2 SE/4-SE/4 Sec. (4 Sec. and Sec. No.)		m. $\{S\}$ line and	<u>.9</u>
Long Canyon	Grand Co	ounty Utah	
(Field)	(County	y or Subdivision) (State or Territory)	
The elevation of the	derrick floor above sea le	evel is 5,846 ft.	
	DETA	AILS OF WORK	
State names of and expected	depths to objective sands; show si	izes, weights, and lengths of proposed easings; indicate mudding jobs l other important proposed work)	, coment-
	ing points, and all	other important proposed wors,	
Present Well Da	ta: Total Depth 7,6	691', Hole Size 4-5/8" set at 7,385'	
	Unable to drill zones encounter	l deeper due to lost circulation	
Plans Are To:	Unable to drill zones encounter 1. Log at present	l deeper due to lost circulation red.	
Plans Are To:	Unable to drill zones encounter 1. Log at present to the property of the prop	l deeper due to lost circulation red.	36 ° •
Plans Are To:	Unable to drill zones encounter 1. Log at present to the property of the prop	l deeper due to lost circulation red. total depth. cement and bridge plug to 9,350'.	36 ° •
	Unable to drill zones encounter 1. Log at present to 2. Plug back with to 3. Perforate Cane (l deeper due to lost circulation red. total depth. cement and bridge plug to 9,350'.	
I understand that this pla	Unable to drill zones encounter 1. Log at present to 2. Plug back with to 3. Perforate Cane (I deeper due to lost circulation red. total depth. cement and bridge plug to 7,350'. Creek Formation for test 7,305' to 7,30	
I understand that this plo	Unable to drill zones encounter 1. Log at present to 2. Plug back with to 3. Perforate Cane (I deeper due to lost circulation red. total depth. cement and bridge plug to 7,350'. Creek Formation for test 7,305' to 7,30	vation commissio
I understand that this plot Company South Address P. O.	Unable to drill zones encounter 1. Log at present to 2. Plug back with o 3. Perforate Cane of the control of t	I deeper due to lost circulation red. total depth. cement and bridge plug to 9,350'. Creek Formation for test 7,305' to 7,30'. n writing by the Geological Survey before operations may be commented to the commentation of the	vation commissio
I understand that this plot Company South Address P. O.	Unable to drill zones encounter 1. Log at present to 2. Plug back with to 3. Perforate Cane (I deeper due to lost circulation red. total depth. cement and bridge plug to 9,350'. Creek Formation for test 7,305' to 7,30'. n writing by the Geological Survey before operations may be commented to the commentation of the	vation commissio

GN B

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form approved.
Budget Burgan No. 42 Base 5.

LAND OFFICE -U=010529

LEASE NUMBER CANYON Unit 1 & 2

LESSEE'S MONTHLY REPORT OF OPERATIONS

State	บ	tah		<i>C</i> c	ounty	rand		Field .	yht Lo	13 1383 ng Camyor	1
The	e follo	owing	is a th of P.	correc	et report of	operati I uly	ions and , 19 63 ,	produ	ction (i	uthern No	atural Gas Company
Phone .								Agent'	's title .	Product	on Supt.
SEC. AND 1/4 OF 1/4	Twp.	RANGE	WELL No.	Days Produced	BARRELS OF OIL	GRAVITY	Cu. Fr. or (In thousan	das C	ALLONS OF ASOLINE ECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline
9 SE-N	26 V	20	1	23	3,295	40.0	4 ,08		-0-	-0-	Pulled TBG. Cleaned out the casing to 7373'. (Found 5' salt bridge at 7156') Ran TBG. No change
9 SE-S	26 B	20	ones 2	Can	yon (br -0-	-0-	-04	-	-0-	-0-	in Came Creek. Perfs 7,050' to 75'. Released rig 7/5/63. Moved rig back on this well 7/10/63. Made 2-cement
			4	365 : Unit	Sbls. net 2 for Hea	transf ted Oi	erred t l Treat	o Lone	g Caungyo	11	squeezes on perfs 7281'-7305' in Cane Creek to abandon this zone. Drilled below 52" casing w/ 4 5/8" bit. Drilled to 7691'. Unable to drill desper due to lost circulation zones. Now plugging back to test Cane Creek zone for production.
										,	

Note.—There were #2,471 Bbls. runs or sales of oil; No M cu. ft. co No runs or sales of gasoline during the month. (Write "no" where applicable.)

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.



Bureau No. 42-R355.4.

FOFE	u. a-9	30			Ţ-
	<u></u>				
					K
	1	ı	1	1 .	

FORMATION RECORD—Continu

HOUSE STATE

Salt Lake City

SERIAL NUMBER U-010529

LEASE OR PERMIT TO PROSPECT

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

	LO	CATE WEL	L CORRECTLY	•							
	Compa	ny Sou	thern Natu	ral Gas	Company	Addres	P. O. Box	1513,	Houston	l, Texas	
•							Long Canyon				
							<u>LM</u> Co				
	Locati	on566_	ft. \mathbb{R}^{N} of \mathbb{S}	Line a	nd _527 ft.	$\left\{ \begin{array}{c} XX \\ W. \end{array} \right\}$ of $\left\{ \begin{array}{c} E \\ \end{array} \right\}$	Line of Sec.	9	Eleva	ation 5,857.7	
	T, so far	he inform as can be	ation given h determined f	erewith is rom all av	vallable rec	ords.	t record of the v		e oan e on hon o	********	
	Date .	Augus	st 14, 1963			-	TitlePe	troleum	Engine	er	
	T	he summa	ry on this pa	ge is for t	he condition	on of the well	l at above date.				
	Comm	enced dri	lling <u>May</u>	5	, 19	63. Finish	ed drilling	une ll		<u>, 19 63 </u>	
		11 11	Jul	y 10 or	L OR GA	s ³ sands o	R ZONES	August 2		1963	
				_		enote gas by G)					
•							from				
	No. 2,	from	6,676	to6	, 687	No. 5,	, from	to)		
	No. 3,	from		. to		No. 6,	from	to	·		
				1	MPORTA	NT WATER			*		
	No. 1,	from		_ to		No. 3,	from	to)		
	No. 2,	from		_ to:			from	to			
	•			:	CAS	ING RECOF	RD				
	Size	Weight	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perfo		Purpose	
F	. easing 13-3/8	per foot	8 Rd.	Nat	.255.,	Howco		From-	To-	Conductor	
			8 RD.&B	Nat	4 335	Номсо	- 2000 TO Tantied, g	ខែម សំរាង, សំរ ការលើ របស់វិទី			
	5-1/2		8,Rd.	Nat	77, 385	Howco ".		6,676	6,687.	Production	
				TH.	30 04 0		VE VIETY				
		!	·	MUDD	ING AND	CEMENTI	NG RECORD				
	Size	Where se	et Numb	er sacks of ce	ment	Method used	Mud gravity	Ar	nount of m	ud used	
	13-3/8	25	55	200		ump & Plug					
X ar	_ 9- 578	4,33	35	700		ump & Plug		Capaci	ty of	Casing	
					TANK DEP		1.7 Jan	-I Canaci	ty of	Casing	

100 Sacks Adapters-Material

LM Recal	Iner @ 1,30	SI	HOOTING R			
Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
	;					
						v Surf.
				1		

feet to T.D. feet, and from ______feet to _____feet Rotary tools were used from

DATES Put to producing August 13 1963 August 13 , ₁₉ 63 The production for the first 24 hours was 217 barrels of fluid of which 100 % was oil;% Gravity, °B6. emulsion; ____ % water; and ____ % sediment.

Gallons gasoline per 1,000 cu. ft. of gas If gas well, cu. ft. per 24 hours

Rock pressure, lbs. per sq. in.

EMPLOYEES Driller

Driller

FORMATION RECORD

		PORMA	TON RECORD
FROM-	то-	TOTAL FEET	FORMATION
0	360	360	Surface Sands
360	702	342	Chinle
702	718	16	Shinarump
718	985	267	Moenkopi
985	2,302	1,317	Coconino
2,302	3,930	1,628	Hermosa
3,930	3,99 3	63	Upper Paradox
3,993	7,253	3,260	Middle Paradox
7,253	7,332	79	Cane Creek
7, 332	7,386	54	Lower Paradox
	,		Re-Entered and drilled deeper
7,386	7,770	384	Lower Paradox
7,770	7,791	21	Mississippian



SUPPLEMENT TO FORM 9-330 LOG OF OIL OR GAS WELL

COMPANY: SOUTHERN NATURAL GAS COMPANY WELL: LONG CANYON UNIT #2

History of Oil Well

Date	T.D.	Activity
May 5, 1963 May 7, 1963	261'	Spudded Well. Ran 13-3/8" casing to 255'. Cemented with 200 sacks of cement.
May 24, 1963	4,358'	Ran 9-5/8" casing to 4,335'. Cemented with 700 sacks of cement. Discontinued air drilling. Drilled out of 9-5/8" casing with saturated salt.
June 12, 1963	7,386'	Ran 5-1/2" casing to 7,385'. Cemented with 1,080 sacks of cement.
June 12-25		Tested Cane Creek Zone through perforations 7,281-7,305'. Made acid job and swab tested well.
June 25, 1963		Released rig to workover Long Canyon Unit #1.
July 3, 1963		Made "Hot Oil" treatment on perforations 7,281-7,305' to stimulate formation with no results.
July 10, 1963		Began operations to drill deeper to test Mississippian for production.
August 2, 1963	7,691	Discontinued drilling operations to test the Cane Creek for production.
August 2-8	7,352 PB	Tested Cane Creek through perforations 7,255-81' and 7,305-30' with no results. Abandoned perforations by squeezing with cement. Left top of cement at 7,150'.
August 9	7,150 РВ	Completed well in Clastic #18 through perforations 6,676-87' as an oil well. Released rig.

Land Jan ,

SOUTHERN NATURAL GAS COMPANY

EXPLORATION AND PRODUCTION DIVISION

P. O. BOX 1513 - ESPERSON BUILDING
HOUSTON 1, TEXAS
August 16, 1963

U. S. Geological Survey 416 Empire Building Salt Lake City, Utah

Re: Long Canyon Unit #2

Long Canyon Field Grand County, Utah

Gentlemen:

Attached for your information and file are three copies of Log of Oil Well, Form 9-330, prepared for subject well.

Please note that this well was originally drilled to 7,3%6' where drilling operations were suspended while we tested the Cane Creek. We then re-entered this well and drilled to 7,791'. We then plugged back, tested the Cane Creek and completed the well in Clastic #18.

If there is any question on the above or the attached, please contact.

Yours very truly,

SOUTHERN NATURAL GAS COMPANY

R. H. Adolph

Petroleum Engineer

RHA/gme

cc: Utah State Oil and Gas Conservation Commission

Gulf Oil Corporation, Casper, Wyoming

Gulf Oil Corporation, Oklahoma City, Oklahoma Gulf Oil Corporation, Salt Lake City, Utah

Gulf Oil Corporation, Denver, Colorado

Humble Oil & Refining Company, Durango, Colorado Humble Oil & Refining Company, Denver, Colorado

Mr. John Williams

Mr. Hal Kerr

Mr. Roger Stoneburner

Mr. Cecil Woodruff

Mr. Keith Somerville, Midland

Mr. Wade Smith, Midland

Well File

Corporate Files

August 21, 1963

Southern Natural Gas Company P. O. Box 1513, Esperson Bldg. Houston 1, Texas

٠,

Attn: J. B. Cobb, General Drilling Superintendent

Re: Well No. Long Canyon Unit #2 Sec. 9, 26 S., R. 20 E., Grand County, Utah

Gentlemen:

This letter is to advise you that the electric and/or radioactivity logs for the above mentioned well are due and have not been filed with this office in accordance with our Rules and Regulations.

Your attention to this matter will be greatly appreciated.

Very truly yours,

DIL & GAS CONSERVATION COMMISSION

CLARELLA N. PECK RECORDS CLERK

CNP:tw

SOUTHERN NATURAL GAS COMPANY

EXPLORATION AND PRODUCTION DIVISION

P. O. BOX 1513 - ESPERSON BUILDING

HOUSTON 1, TEXAS

August 29, 1963

The State of Utah
Oil & Gas Conservation Commission
310 Newhouse Building
Salt Lake City 11, Utah

Re: Long Canyon Unit #2

Long Canyon Field

Gentlemen:

Grand County, Utah

Enclosed please find the logs requested in your letter dated August 21, 1963. These should have been filed by our Midland office, but as the District Geologist in charge there is on vacation, I am sending these copies in order to expedite things.

Yours very truly,

SOUTHERN NATURAL GAS COMPANY

J. B. Cobb

General Drilling Superintendent

JBC/gme

Encl.

cc: Mr. Keith Somerville - Midland

Well File Corporate

8NO

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

,	(AA)
Form approved.	MIN
Form approved. Budget Hungay No. 42-3856.	.SUL
AND OFFICEU-010529	
EASEINUMBER Carryon Unit #18	2
JNIT	

LESSEE'S MONTHLY REPORT OF OPERATIONS

State	Utah	<u>.</u>		Ca	ountyGr	and		Fie	Long	Canyon	
Th	e foll	owing	is a	correc	t report of						crilling and producing
weus) j	or the	e mon	in oj	10			., 19,			W-	itural Gas Company
Agent's	addi		P. 0	. Box	1513			Con		McDern Ne	COLLET GED COMPANY
			Hous	ton 1,	Texas			Sign	ned	Supervi s	Prod. Clerks
Phone.	CA	8-96	81					Age	nt's title	Daber 110	
SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL No.	Days Produced	Barrels of Oil	GRAVITY	Cu. Fr. or	1	Gallons of Gasoline Recovered	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
9 SE-NW	26	20	1	31 ~	3,373	40.0	4,968		-0-	-0-	
9 SE-SE	26	20	2	20	1,911	43.1	1,838		-0-	-0-	Tested Cane Creek Zone but did not Have any production.
											Plugged back to 7150'. Completed well in clastic #18 through perfs. 6676'-87' as an oil well. Released rig 8/8/63.

NO runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

6NP

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form approved.
Budget Bureau No. 42-R356.5.

Ealt Lake City

Lease Number Canyon Unit 18 2

LESSEE'S MONTHLY REPORTORE OPERATIONS Y)

	addr	ess P Hous	. 0. ton 1	Box 1	8.8		Cor	ned Q ent's title	kwoo da upervi sor	-Prod. Clerks
Sec. and 1/4 of 1/4	TWP.	RANGE	WELL No.	DATS PRODUCED	BARRELS OF OIL	GRAVITY	Cu. Ft. of Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
9 SE-1W	26	20 (37.9)	1.	31	3,373 n Unit	40.0	4,968 1:150 %	-0-	-0-	
SE-SE	26	20	2	80	2,145	43.1	2,063	-0-	-0-	Tested Cane Creek Zone but did not have any prod. Plugged back to 7150 Completed well in Clastic # 18 Through Perfs. 6676' - 87' as an oil well. Released righ8/8/63

Note.—There were ________ mc cu. ft. of gas sold; _______ Mc cu. ft. of gas sold;

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

(P)

Lopeya Lell

Form approved. Budget Bureau No. 42-R356.5.

LAND OFFICE Salt Lake City

LEASE NUMBER U+010529

UNIT LONG CANYON Unit Well

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LESSEE'S MONTHLY REPORT OF OPERATIONS

UNITED STATES

Agent's	s addi	ess _	P. O.	BOX	1513		Cor	npany 80	TEHERN HA	TURAL GAS COMPAN
Phone		. (:A 8-	9 6 81	AREA CODE	113)	Sigi	ned ent's title	oru Supravieo	R-PROD. CLARGE
Sec. and 1/4 of 1/4	Twp.	Range	WELL No.	DAYS PRODUCED	Barrels of Oil	GRAVITY	Cu. Fr. of Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cadute and result of test for gasoline content of gas)
9 1 NW	26	20	1	25	6,115	46.2	7,203			
68	26	30 m	2	213	1,070	35. 1	1,380			Moved in Pulling Unit 2/7/64 to pull. Recovered vireline tools so in tubing, Re-rapidity with a circlating valve in toottom of the tubing.
										teleased rig 2/1:
)					

runs or sales of gasoline during the month. (Write "no" where applicable.)

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Form 9-329 (January 1950)

16-25766-9 U. S. GOVERNMENT PRINTING OFFICE

SOUTHERN NATURAL GAS COMPANY



P. O. BOX 1513 - ESPERSON BUILDING
HOUSTON, TEXAS 77001

October 21, 1965

United States
Department of the Interior
Branch of Gil and Gas Operations
8416 Federal Building
Salt Lake City, Utah 84111

Re: Long Canyon Unit Well No. 2 Grand County, Utah

Attention Mr. Rodney A. Smith

Gentlemen:

We are enclosing three copies of Form 9-33la, Notice of Intention to Shoot or Acidize and Notice of Intention to Abandon Well, on the subject well.

Yours very truly,


J. B. Cobb

General Drilling Superintendent

JBC/sm

co: The State of Utah
Oil & Gas Conservation Commission
348 East South Temple - Suite 301
Salt Lake City, Utah





(SUBMIT IN TRIPLICATE)

UNITED STATES **DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

	Approvat	Lake	
and Office			
ease No	U-01		
			-2A 11

Unit

Budget Bureau 42-R358.3.

MOTION OF MITCHINGS TO DIVILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLAN	NS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER	SHUT-OFF.	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR	REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR A	CIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALT	ER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WE	ILL X		
(INDICATE	ABOVE BY CHECK MARK NATU	URE OF REPORT, NOTICE, OR OTHER DATA)	
		Qetober 21	, 19 65
图/4 - 32/4 Section 9	756 ft. from {	$\begin{cases} \mathbf{S} \\ \mathbf{S} \end{cases} \text{ line and } \mathbf{S} \mathbf{S} \mathbf{S} \mathbf{S} \mathbf{S} \mathbf{S} \mathbf{S} $	9
(½ Sec. and Sec. No.)	(Twp.) (Rang	ge) (Meridian)	
Long Canyon	Grand County (County or Sub	Utab odivision) (State or Territory)	
(Field)	(County of Sus	(country)	
s are to: 1. Abandon C	lastic fl8 rom,	eights, and lengths of proposed casings; indicate mudding job important proposed work) perforations 6670-07'. This is	
oil son	••••		2
2. Shoot the	Come Creek inte	erval with mitroglycerine and test.	
2. Shoot the 3. If test i	Come Creek inte s commercial, th	ris well will be completed as a six	gle of
2. Shoot the 3. If test i 4. If test i plage s	Come Creek into a commercial, the a noncommercial,	ris well will be completed as a six , this well will be abandoned by pl rated intervals and at the surface.	gle oi lacing
2. Shoot the 3. If test i 4. If test i plage a will be	Come Creek into a commercial, the a noncommercial, across all perfor placed at the s	is well will be completed as a size, this well will be abandoned by ploated intervals and at the surface.	gle oi lacing . A ma
2. Shoot the 3. If test if 4. If test if plugs a will be recorded to Accommodate the second commodate to the second commodate the secon	Come Creek into a commercial, the a commercial, a comecommercial, aross all perfor placed at the s	this well will be completed as a six, this well will be abandoned by ploated intervals and at the surface. Approval conditional upon a more	gle of
2. Shoot the 3. If test is blues in test is place will be	Come Creek into a commercial, the a commercial, a comecommercial, aross all perfor placed at the s	this well will be completed as a six this well will be abandoned by placed intervals and at the surface. Approval conditional upon a more plugging program being furnished office	gle of
2. Shoot the 3. If test is plugs will be will be will be wallow COMM DATE: 10-28-65 by	Cone Creek into a commercial, the a commercial, the a commercial, a comm	this well will be completed as a six this well will be abandoned by placed intervals and at the surface. Approval conditional upon a more plugging program being furnished office	detail
3. If test in the state of work many stands that this plan of work many stands are stands and stands are stands and stands are stand	Cone Creek into a commercial, the a commercial, the a commercial, a comm	this well will be completed as a six this well will be abandoned by placed intervals and at the surface. Approval conditional upon a more plugging program being furnished office braineer	detail
3. If test in the state of work many stands that this plan of work many stands are stands and stands are stands and stands are stand	Come Creek into a commercial, the a commercial, the a commercial, the a commercial, a	this well will be completed as a six this well will be abandoned by placed intervals and at the surface. Approval conditional upon a more plugging program being furnished office argineer Ing by the Geological Survey before operations may be comm	detail

FULL RATE MMEDIATE X DELIVERY X DAY LETTER 2 TO 4 HOUR DELIVERY NIGHT LETTER DELIVERY 8:60

DUTHERN NATURAL GAS COMP. Y

TELEGRAM

INDICATE CHARGE

INDICATE TYPE OF BERVICE, OTHERWISE FULL RATE WILL APPLY

OCTOBER 29, 1965

GULF OIL CORPORATION P. O. DRAWER 1938 ROSWELL, NEW MEXICO

ATTENTION: MR. M. T. TAYLOR

RE: LONG CANYON UNIT NO. 2 WELL

LONG CANYON FIELD GRAND COUNTY, TEXAS

REFERENCE IS MADE TO SOUTHERN'S AFE NO. 65-601-38 COVERING RECOMPLETION OF LONG CANYON UNIT NO. 2 WELL, GRAND COUNTY, UTAH, APPROVED BY GULF ON SULY 20, 1965. THIS IS TO ADVISE THAT SOUTHERN WILL PROCEED WITH THE WORKOVER, TESTING AND RECOMPLETION COMMENCING WITHIN THE NEXT TWO WEEKS.

SOUTHERN NATURAL GAS COMPANY WADE H. SMITH - LAND DEPARTMENT

CC BY MAIL: MR. J. R. SCHWABROW
REGIONAL OIL AND GAS SUPERVISOR
U.S. DEPT. OF THE INTERIOR
P. O. BOX 400
CASPER, WYOMING

U.S. DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY
416 EMPIRE BUILDING
SALT LAKE CITY, UTAH 84111
ATTENTION: DISTRICT ENGINEER

THE STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
348 EAST SOUTHTEMPLE, SUITE 301
SALT LAKE CITY, UTAH
ATTENTION: MR. PAUL W. BURCHELL, CHIEF ENGINEER



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Lease Number Canyon Un. 182

LESSEE'S MONTHLY REPORT OF OPERATIONS

State .		Jtah		Ce	ounty	Grand	Fie	eldLo	ng Canyor	1
TI wells)	he foll for th	lowing	is a	correc	et report of November	operati	ions and pro	oduction (i	ncluding d	drilling and producing
A g ent'	s add	ress	F.	Housto	n. Texas (77001	Coi	mpany	ioned. C	tural Gas Company . K. Woodruff
Phone			··············	ca 8-9	681 (Area	Code	Sig 713) Age	ned ent's title !	Superviso	or-Prod.Clerks
SEC. AND % OF %	Ť-	RANGE	XX7-0	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	Cu. Ft. of Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
				PARAI	OX FORMATI	ON CL	ASTIC 21 P	ARTICIPA	CING AREA	
9 SE-NW	26	20	1	30	6,749	44.7	12,3 71	-	173	
				PARAD	OX FORMATI	ON CIA	ASTIC 18 PA	RTICIPAT	ING AREA	
9 SE-SE	26	20	2	-0-	•		-		•	Plugging Well: Cleaned out well to 7350'. Made cement squeeze on Perf. 6676-87: Cleaned out to 7350; 2nd cement squeeze @ 6676-87. Stuck squeeze tool in hole. Set 50 sx. cement plug 5230-5700. Prep to P & A.
No	re.—Tł	nere we	re	6,	907 Bbls.	. runs or	sales of oil;	NO		M cu. ft. of gas sold;

runs or sales of gasoline during the month. (Write "no" where applicable.)

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

COPY

COPY

SOUTHERN NATURAL GAS COMPANY

P. O. BOX 1513 - ESPERSON BUILDING
HOUSTON, TEXAS 77001

December 7, 1965

U. S. Department of the Interior Geological Survey Branch of Oil and Gas Operations 8416 Federal Building Salt Lake City, Utah

Re: Plug and Abandon Report Long Canyon Unit #2 Well #1

Gentlemen:

Attached are three copies of a report showing the procedure used to plug and abandon the Long Canyon Unit #2, Well #1, Grand County, Utah. The procedure used was discussed by your office with our Mr. W. Whelchel prior to plugging the well.

This well was plugged and abandoned December 2, 1965; however, the production equipment will not be removed from the lease until a later date.

If there is any question on the above or the attached, please call me.

Yours very truly,

SOUTHERN NATURAL GAS COMPANY

J. B. Cobb

General Drilling Superintendent

JBC/gme

cc: Utah State Oil and Gas Commission, Salt Lake City, Utah
U. S. Geological Survey, Casper, Wyoming
Humble Oil and Refining Company, Deaver, Colorado
Gulf Oil Corporation, Roswell, New Mexico
Mr. Wade Smith
Mr. Keith Somerville
Mr. C. K. Woodruff
Well File
Corporate Files

Form 9-331 (May 1963)	STATES DEPARTMENT OF THE INTER	SUBMIT IN TRACTIONS OF COLUMN (Other instructions of Column (Other instructions of Column (Other Instructions))	Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.
,	GEOLOGICAL SURVEY		. U-010 529
SUN (Do not use this	DRY NOTICES AND REPORTS form for proposals to drill or to deepen or plug Use "APPLICATION FOR PERMIT—" for such	ON WELLS back to a different reservoir.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME -None-
OIL GAS WELL	OTHER Plag and Abandon		7. UNIT AGREEMENT NAME Long Canyon Unit #2
2. NAME OF OPERATOR	Notario 7 de la G		8. FARM OR LEASE NAME
3. ADDRESS OF OPERATOR	Natural Gas Company		Long Canyon Unit #2
P. O. Box	1513, Houston, Texas		3. WELL NO.
4. LOCATION OF WELL (R See also space 17 belo	eport location clearly and in accordance with an	y State requirements.*	10. FIELD AND POOL, OR WILDCAT
At surface 566' FSL & 59	97' FEL of Sec. 9, T26S, R20E	E, Grand County, Utah	Long Canyon-#18 Clastic 11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA Sec. 9, T26S, R20E, SIN
14. PERMIT NO.	15. ELEVATIONS (Show whether D	OF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE Grand Utah
16.	Check Appropriate Box To Indicate 1	Nature of Notice, Report, or	
N	OTICE OF INTENTION TO:		QUENT REPORT OF:
TEST WATER SHUT-OF	F PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMENT* X
REPAIR WELL	CHANGE PLANS	(Other)	
(Other)		Completion or Recom:	s of multiple completion on Well pletion Report and Log form.)
proposed work. If nent to this work.) *	COMPLETED OPERATIONS (Clearly state all pertines well is directionally drilled, give subsurface local	it details, and give pertinent dates tions and measured and true verti-	s, including estimated date of starting any cal depths for all markers and zones perti-
test the Cane	s were to abandon the #18 Cl Creek Formation for product the well was plugged and aba	ion. Due to hole con	l zone in this well, and nditions, this test was
11 - 25	Cleaned out to 7,350'		
11-26 11-29	Made cement squeeze, performed out to 7,350', separations 7,255-75' in squeeze, 200 sacks, of perin the hole at 6,200°. Cuin the hole.	t bridge plug at 6,73 the Cane Creek.) Ma rforations 6,676-87'.	33' (This isolated old de second cement S ueeze tool stuck
11-31	Set 50 sack cement plug fr P.M. 11-30-65. Set 10 sac into annulus between 9-5/8 50 sacks of cement in annu	ck cement plug at sur $3" \times 5-1/2"$ casing wi	face. Unable to pump th 1,500 psi. Pumped
12 <i>-</i> 2	Removed Xmas Tree. Set Dr	ry Hole Marker with r	equired information.
	Job complete 12-2-65.		
18. I hereby certify that th	e foregoing is true and correct		
SIGNED	TITLE Gen	. Drilling Sup't.	DATE 12-8-65
(This space for Federal	or State office use)		
APPROVED BY	ROVAL, IF ANY:		DATE



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Dudget Dureau No.	. 42-K800.	94 Y
LAND OFFICE UTAH		
LEASE NUMBER		
UNIT LONG CANYON UM	7 &	0

LESSEE'S MONTHLY REPORT OF OPERATIONS

State .	U	UTAH		County		GRAND Fi		Fie	Field LONG CANYON			
wells)	for the	e mo n	th of	DEC	EMBER		., 19 <u>.6</u> 5.,	· 				
_	t's address P. O. BOX 1513							· · · · · · · · · · · · · · · · · · ·				
	HOUSTON, TEXAS (77001)											
Phone		C	A.Ö-9	3681 (AREA CODE	713)		Age	nt's title !	SUPERVI80	R-PRODUCTION CLERKS	
SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL No.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	Cu. Fr. or (In thousar	GAS ids)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)	
				PAF	ADOX FORM	TION (LASTIC	21	Pa rt icip	ATTING ARI	tA	
9			_		V		•	v		V		
SR-NW	26	20	1	31	7,410	44.4	13,58	5	-	190		
PARADOX FORMATION CLASTIC 18 PARTICIPATING AREA												
9												
s e -se	26	20	2	-0-	-0-	-	-0-		••	•	Set 50 sks. cmt. plug @ 5700-5230.	
											Set 10 sks. cmt. plug @ surface. Pmpd. 50 sks. cement between 9-5/8" & 13-3/8" csg. Set dry hole marker, plug & Abd. 12/2/65.	
	3											

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Note.—There were ____6,883_ Hole.____ runs or sales of oil; _____ M cu. ft. of gas sold;